

<http://www.sunsetclimax.com>



Manual for Tarp 05



必ずお読みください。

Please read this instruction manual before use.

■初めてお使い頂く前に

製品には万全を期しておりますが、ご使用になる前にあらかじめ製品を確認して頂き、万が一、素材や製造上の不備や欠陥等の不具合があった場合は弊社にご連絡ください。

e-mail : info@sunsetclimax.com

■セット内容のご確認

ーご使用前にパーツ等の不足がないかご確認ください。

- 1.タープ本体（グロメットa付き）×1
- 2.本体収納ケース（金物収納付）×1
ロープ収納袋 ×1
- 3.ガイロープ (a)（スライダー付）10(m)×2(本) ※10mの2又が2本
ガイロープ (b)（スライダー付） 4(m)×6(本)
- 4.SUSグロメットb × 6(枚)
- 5.取扱説明書(本書)

※ポール・ベグは本製品に付属されていません。

■注意事項

sunsetclimaxオリジナルタープはアウトドアライフを最大限にお楽しみ頂くために、デザイン・設計・生産しています。そのため、ご使用にあたり必要十分な機能と耐久性を考慮して生産しておりますが、フィールドにおいては予測不可能な事態が突発的に発生する場合がございます。

ご使用にあたっては、製品の素材や性能を十分に理解した上で、自然環境の変化や動向に注意を払いつつ、安全なキャンプをお楽しみください。

■設営及び撤収の前に

安全な設営場所を確保したうえで、設営を行ってください。無理な設営や撤収は本体や付属品の損傷、及び事故の原因になりますのでご注意ください。

■火気厳禁

生地は大変燃えやすいので焚火やバーナーやランタン等あらゆる熱源から遠ざけてご使用ください。

■天候・気象状況

天候および気象状況には細心の注意を払い、悪天候時や悪天候が予測される場合には当製品のご使用を中止してください。また、台風や暴風雨など強風下での使用は大変危険ですので絶対におやめください。急な天候変化による強風の場合にも、ただちに使用をおやめください。

■オリジナルSUSグロメットの注意点

- ・Tarp 05 は先端にオリジナルSUSグロメットが装着されます。ご使用の際にフィールド内で風がある場合、タープ本体が風になびいた時に金物が暴れ危険な場合がございますので、設営をお控えください。
- ・設営及び撤収する際は周囲の人など状況を注意・確認をし、危険と感じる場所に人がいない事を確認しながら設営してください。
- ・ロープとSUSグロメットを結ぶ時は必ずロープが解けない事を確認して、しっかりと結んでください。
- ・特にオリジナルSUSグロメットと高さが合う小さなお子様などは大変危険ですので、タープ設営及び撤収の範囲内に入らないようにご注意ください。
- ・SUSグロメットは結んだロープのテンションを強くかけやすくなっております。不必要に引っ張り過ぎると本体が破損する恐れがありますのでご注意ください。
- ・撤収の際にグロメットを外す場合は、ロープのテンションを少し緩め、タープ本体からグロメットとロープを一緒に外してください。グロメットより先にロープをほどいたり外したりすると、取り残ったグロメットがタープと一緒に風になびき、暴れ、怪我をする恐れがあります。

・グロメットを外す時はグローブや手袋(滑り止め付)をしてから、しっかりとタープ本体を手に持ち、グロメットを外してください。

・オリジナルSUSグロメットは本製品(タープ)での適正使用以外のご使用はおやめください。

製品については使用に対する強度を考慮し設計製作しておりますが、万が一使用上少しでも製品に支障を来す現象が現れた場合は、ご使用をお控え頂けますよう、お願いいたします。

■防水・撥水加工

・生地はリサイクルポリエステル繊維生地・疎水性無孔PUフィルムラミネート構造です。

高性能の防水・撥水機能を持ち合わせておりますが、生地の特性上撥水の仕方や撥水性に若干の個体差がある場合がございます。

・経年劣化により撥水・防水機能が低下します。ご了承ください。

・防水性能の高い構造生地を使用しておりますが、雨などで集中的に高い水圧が加わると生地に水が浸透する場合がございます。

・万が一、フィルムの内部に水が含んでも表面から乾燥し、元の状態に戻ります。撤収の際は、十分に乾燥したことを確認してからケースへの収納をお願いします。

■クリーニング


- ・使用に汚れをクリーニングする場合は表(おもて)面のゴミを払い、真水を掛けて布で軽く押し当てるように拭き取ってください。
- ・主に裏面は、吸湿性・速乾性の高い高性能素材タオル(マイクロファイバー等)を擦り当てると、生地表面を傷める原因となりますので、決して使用しないでください。水分をふき取る場合にはやわらかいタオルを使用し、こすらずに軽く押し当ててください。
- ・表面を拭き取る事で撥水機能が大幅に低下する恐れがあります。
- ・本製品は一般的なテント・タープ生地のようにポリウレタン等でコーティングしておらず、PUフィルムをラミネートする防水機構を採用しています。PUフィルムの剥がれを防ぐために、テントやタープなどを扱うクリーニング専門店などへのクリーニング依頼は推奨しておりません。
- ・熱湯あるいは温水でクリーニングすることで、生地に熱を加えないでください。

■メンテナンス・保管方法

- ・sunsetclimaxの製品を永くご使用いただく為に、正しいメンテナンスと保管方法を推奨しています。
- ・濡れたまま保管すると、カビや異臭、生地の色移りや劣化などのトラブルの原因となりますので、使用後は早急に適切な方法でクリーニングし、必ず風通しの良い日陰で十分に乾燥してから保管してください。
- ・カビ発生の予防として長期保管の場合は、時折ケースからタープ本体を取り出し、風通しの良い日陰などで空気に触れさせてください。
- ・タープ本体にロープ及びスライダーを付けたまま一緒に保管致しますと破損する恐れがあります。つけたままの保管はおやめください。
- ・保管の状態によっては、生地が色移りする場合がある事をご了承ください。
- ・高温多湿を避け、直射日光の当たらない風通しの良い場所にて保管ください。


■設営手順 1

sunsetclimax ブランドネームを表にした、tarpグロメット(a)の穴をボールの先端にさし、ガイロープ(a)のループをボールの先端に引っ掛けます。※参考1
次にボールを立てる間隔を約4.5mの位置に設置し、ガイロープ(a)をベグダウンします。※参考2





※参考2

※ポールとポールの間隔は、約4.5m。ポール設置の際は、tarpをひっぱりすぎないように注意してください。
この状態で少したるみのある位が後に美しくタープを張るコツです。




※参考1

※ガイロープは必ず、グロメットaの上にし、ボールの先端に引っ掛けてください。



■設営手順 2


1箇所ごとにグロメット(b)にガイロープを結び、tarp先端のナイロンベルトにグロメットbを引っ掛けガイロープ(b)をペグダウンします。※参考3参照



※参考4

※ガイロープaよりもガイロープbのテンションを強めに張ると綺麗に tarp が張れます。


※美しい弧を描く様にテンションを調整してください。



※先端は遠目にペグダウンするとタープのフォルムが美しく張れます


■設営手順 3

最後にガイロープ(a)(b)をスライダーをつかって調整し、tarp全体にテンションをかけてください。テンションは無理に強くかけないでください。※参考4参照



※参考3

※グロメットb、黒のナイロンベルト、ガイロープbが1直線になる角度でペグダウンしてください。歪みなく tarp を張る事ができます。



※先端は遠目にペグダウンするとタープのフォルムが美しく張れます


■収納方法

tarpをたたむ前にグロメット(b)を外し、ケースに納めてください。

ガイロープは付属のガイロープ収納袋へ納めてください。


ぬかるんだ地面は避け、出来るだけ乾いた地面の上で広げてたたんでください。

1 タープの表が外側になるように中心で折る




2

破線の位置で3カ所折る




3

破線の位置で折る




4

破線の位置で折る



5




端よりまるめる



6

収納ケースへ

最後にガイロープを納めた
収納袋を収納ケースへ



■修理・品質保証

- ・製品の使用上による損傷の修理に関しましては、お気軽にご相談ください。
修理の際に発生する料金については、使用状況などのヒアリングを通して個別に対応させていただきます。
- ・本製品の本体生地に関しましては、大変高密度で織ったストレッチ性がある生地に、防水フィルムを裏面にラミネートした防水加工をしております。その為、万が一生地が破けた箇所や、穴が開いた部分を補修したとしても、以前と同じ機能を取り戻す事が出来無い場合があります。ご了承ください。
- ・稀に生地へ製造過程上発生する小さい黒点の付着がございます。当方でも出来るだけ避けての製作をしていますが、製品の中に黒点が混入する場合がございます。機能においては問題ございません。
- ・この取扱説明書に従わずに使用した事により発生した不具合や破損、及び不測の事態による故障。又、経年による劣化寿命に関しましては補償対象外になります。

■ Before start using Tarp05

Please check the supplied items.

In case you find a defect of product,
please contact us by e-mail at info@sunsetclimax.com.

e-mail : info@sunsetclimax.com

■ Checking the supplied items

- Please check the supplied items as below.

1.Tarp 05 ×1

2.Storage bag with the grommet pocket ×1

Stuff sack for guy ropes ×1

3.Double guy rope with original SUS slide tensioner 10m×2pcs

Single guy rope with original SUS slide tensioner 4m×6pcs

4.Original SUS grommet ×6pcs

5.Instruction manual

※ Poles and Pegs are not included.

■ Notes

sunsetclimax original tarp is designed,
produced to enjoy your outdoor life as much as you can.
However, please note that an unexpected accident will be
happened in outdoor.To use sunsetclimax original tarp,
please understand the material or efficiency of this product.
Please pay attention to changes of the natural environment or
the change in weather.

■ How to pitch a tarp

Make sure your tarp assembling environment must be safety.
Please pitch a tarp in accordance with the following instructions. It
may be damaged if excess force is applied when you set up or retreat.

■ Warning

Never use sunsetclimax original tarp near fire.

■ Weather, climate condition

Pay attention to weather or climate condition before or while using
the product. Never use the product in unsuitable situation.
Moreover, never use the product during bad weather conditions,
such as typhoon, heavy rain or wind.

■ Safety precaution for original SUS grommet

Original SUS grommet is used as a tarp grommet of Tarp05. Please note that it might be swung in strong wind so that it is prohibited to use Tarp05 while strong wind. Because it is too dangerous to use.

Make sure your assembling or putting away environment must be safety when you pitch or put away a tarp.

- Tie a rope and original SUS grommet tightly.
Make sure that they are jointed properly.
- Be careful of kids as tall as original SUS grommet.
Keep them away when you pitch or put away a tarp.
- It is easy to keep high tension of single rope due to original SUS corner. Do not tag a single rope too much otherwise tarp fabric might be split.
- Original SUS grommet is used for Tarp05.
Never use it for other purpose.
- Original SUS grommet is designed and produced with consideration of its strength. In case you find any defect, please stop using it for safety

- When you put away the tarp and detach original SUS grommets from the tarp, please loose the tension of guy rope first, then remove the grommet and guy rope together. It is so dangerous if you untie a guy rope only before taking off the grommet. Otherwise the grommet shall be shaken in air by wind.

- While you detach original SUS grommets, please make sure using a glove. Then, grab a tarp properly and detach original SUS grommets from the tarp.

■ Water proofing repellents

Fabric made from the recycled polyester fiber with hydrophobic non-porous PU laminated film.

Note that there are some variety of performance of water proofing repellents due to slight individual differences.

- Note that performance of water proofing repellants may decrease due to aging deterioration.
- Base fabric is high performance waterproofing material. However, water may come through the fabric in case high water pressure, such as heavy rain.
- In case the fabric absorb some water inside, it will be back to normal after dry. Make sure tarp is dry when you store it into a case.

■ Cleaning

- After use a tarp, whisk dust off first, then spray water on your tarp and wipe out with a clean cloth gently.
- Do not use a high performance cloth, such as a microfiber cleaning cloth to for cleaning. Otherwise, you may scratch tarp fabric, especially be careful of the reverse side. Please touch with soft towel gently when you wipe water on a tarp. Do not wipe up on surface of tarp, otherwise water repellent performance may be decreased.
- This product is laminated with PU film as water proofing instead of Polyurethane coating. Therefore, we do not recommend that you take it to the cleaners, such as a tent or tarp specially cleaning shop.
- Do not use hot or warm water for cleaning.

■ Maintenance / Storage

- Please maintain and storage sunsetclimax original tarp properly for long time use.
- Clean your tarp properly then dry your tarp at a well-ventilated in shade area after use. Otherwise it may cause fungi, smell, fabric discoloration or damage.
- In case of long term storage, please take a tarp out from a case occasionally and keep it in a well-ventilated and dry place for a while to prevent mold.
- Separate SUS grommet or guy rope from a tarp when you store into a storage bag. Otherwise it may cause damage tarp fabric. Please pay attention to pole grommet when you store.
- It may cause fabric discoloration depending on your storage conditions.
- Do not store in direct sunlight, high temperatures or high humidity. Select a well-ventilated area.


■ How to pitch a tarp ①

Find sunsetclimax logo tag on top.

Stick a pole into a hole of grommet a,

then hook a loop of guy rope (a) on top of the pole. ※Point 1

Space between poles about 4.5 m. Peg with guy rope (a) on the ground. ※Point 2




※Point 2

※Set a space about 4.5 m between poles.



Do not pull a tarp with each other tightly when you stand poles.

If a tarp between poles seems a slightly slacking,
it is a good distance of poles to pitch a beautiful tarp.




※Point 1

※When you hook a loop of guy rope (a),
be sure to hook grommet a and top of the pole first,
then hook guy rope (a) on it.



■ How to pitch a tarp ②


Tie grommet b and guy rope (b) first, then hook it on a black nylon belt of tarp. And peg down with this guy rope (b). Follow this step for 6 corners. ※Point 3



※Point 4

※Add the tension of guy rope (b) strongly more than guy rope (a) .
It is a point to create a beautiful shape of tarp.

※Adjust the tension of guy ropes respectively to draw an arc on the top of tarp.




※ Please find a space a little far from a tarp to peg down a grommet guy rope which is in a middle. It is an advice that a tarp form could be beautiful.

■ How to pitch a tarp ③


Adjust the tension of guy rope a & guy rope b with tensioner respectively, then finally keep tension of tarp nicely. Do not add the tension too much to tarp.

※Point 4



※Point 3

※The line from a black nylon belt through grommet b to guy rope (b) shall be in a straight line. It is a point to pitch a tarp without distortion in shape.




※ Please find a space a little far from a tarp to peg down a grommet guy rope which is in a middle. It is an advice that a tarp form could be beautiful.

■ Storage

Before storing a tarp, put all of grommet b off and put them into grommet pockets of storage bag. Put all guy ropes into a guy rope sack.
Find a dry space to fold a tarp when you storing it.


1

Set sunsetclimax logo tag on top and fold it in a half.




2

Fold it at the dotted lines.




3

Fold it at the dotted lines.




4

Fold it at the dotted lines.



5



Roll it from an end to another end.




6

Stow it into a storage bag.



Put the stuff sack of guy rope into the storage bag.



■ Repair / Warranty

- Please feel free to contact us if you have any problem of our product, such as damage repair.

We provide inspection and repair service for all our products at a nominal cost through hearing.

- The fabric of this product is a well-flexibility material with PU laminated film. It may not maintain same water proofing performance after repair.

- Note this product has some black tiny dots on fabric during production. Please understand that it is not effect on product performance.

- We are not guarantee in case you might have any problem if you would not follow this written instruction.